SUPERSONIC WORLDPORT

COMPLEX PROJECTS
ENERGY

P.5.0 05/07/2024

INTRODUCTION

CLIMATE CHANGE

CLIMATE CHANGE IS AN EXISTENTIAL THREAT TO EUROPE AND THE WORLD!

CLIMATE CHANGE & AVIATION INDUSTRY

3% of global CO2 emissions

EU.eu

CLIMATE CHANGE & BEHAVIOUR

"Few willing to change lifestyle to save the planet"

The Guardian

"Why people are not motivated to address climate change"

Harvard

"Why do we not act on climate change?"

Design Foundation

INTRODUCTION TECHNOLOGICAL INNOVATIONS

"TECHNOLOGICAL INNOVATION IS A DOUBLE-EDGED SWORD"



FUTURE WORLD

7:00 A.M.



Berlin

12:00 P.M.



New York

19:00 P.M.



Sydney

FUTURE WORLD



Supersonic

On Hydrogen

CO2 neutral

PASSENGER SATISFACTION



Time Passengers Want
To Spend At The Airport



Passengers Want Quicker Security



Of Passengers Had Their Baggage Mishandled

FUTURE OF AVIATION



Passenger Comfort



Increasing Capacity



Minimizing Environmental Footprint



Short-haul Flights



Cargo Airport



24/7 Intercontinental

FUTURE OF AVIATION



Passenger Comfort



Increasing Capacity



Minimizing Environmental Footprint



Short-haul Flights




Cargo Airport



24/7 Intercontinental

POLICIES









Construction of buildings



Use energy surplus for construction

Ø₽.

R.56 Energy efficiency optimization with BIM technology







mpact building

 $\mathbf{V}_{\mathbf{L}}\mathbf{V}$







Energy usage of buildings



ww

4

 \Diamond



P



"

庆

888

₽





1











Continuous walking and riding experience to stimulate walking and riding









]





Thermal zoning in buildings for precise heating/cooling control



Transportation to buildings

































龜











POINT SYSTEM

1 point card This card has little impact on the design of the building and the energy saved is almost negligable

2 point card

This card impacts the design and detailing of the building and the energy saved is considerable

3 point card

this card defines the architectural concept of the building and impacts the building's climate concept



















R.18













































R.67























₫Ò



SPECIAL CARDS

collab card

some strategies strengthen each other, which is expressed through this card. (Solar panels and green roof)



power-up card

The project's main card. An energy concept that defines the buildings' concept, is a large energy saver and impacts architectural expression (worth 10 points)



conflict card

some strategies don't work together, which is expressed through this card (minimize facade surface and maximize heat usage from solar radiation)



PROJECT HORIZON 2021-2027



EUROPEAN UNION



Scientific Impact



Sustainable Development



Innovation Growth

PROJECT AMBITION



Sustainable Development



Innovation Growth



Connecting The World



Efficiency

INTRODUCTION RESEARCH QUESTION

HOW TO DESIGN AN AIRPORT TO ACCOMODATE RECONFIGURATED EUROPEAN AVIATION INDUSTRY?

01 INTRODUCTION 02 RESEARCH & DESIGN BRIEF 04 CONCEPT 05 IMPLEMENTATION 06 DEVELOPMENT 07 CONCLUSION

RESEARCH FINANCE








Sustainable Development

Innovation Growth


PROJECT HORIZON 2021-2027




EU & FUTURE SPEED RAILWAY




LONG HAUL FLIGHTS



SCHIPHOL TO BERLIN CENTRE



RAILWAY & SUPERSONICS



STATE & PRIVATE

50%














PRIVATE




REFERENCE PROJECTS



















REFERENCE PROJECTS - DATA



















TERMINAL BUILDING







MOST EFFICIENT **ACCORDING TO DATA**

REFERENCE PROJECT - HARTSFIELD JACKSON AIRPORT





REFERENCE PROJECTS - HEATHROW AIRPORT



REFERENCE PROJECTS

	HARTSFIELD-JACKSON				HEATHROW		
	Total 117.500m2 100%	Departures 104.458m2 88,9%	Arrivals 13.042m2 11,1%	toilets	Total 114.190m2 100%	Departures 93.065m2 81,5%	Arrivals 21.125m2 18,5%
baggage pick-up	3.643M2 3,1%			security	1.370M2 1,2% 2.284M2 2,0%		
toilets security	4.348M2 3,7% 4.583M2 3,9%			gates	5.824M2 5,1%		
gates	5.875M2 5,0%			check-in	7.993M2 7,0%		
check-in	11.398M2 9,7%			baggage pick-up	8.107M2 7,1%		
back of the house	12.103M2 10,3%			shops and food	11.076M2 9,7%		
shops and food	19.270M2 16,4%			back of the house	20.668M2 18,1%		
waiting	24.675M2 21,0%			waiting	28.319M2 24,8%		
flow	31.605M2 26,9%			flow	28.549M2 25,0%		


FROM REFERENCES TO SUPERSONIC



FROM REFERENCES TO SUPERSONIC



Intercontinental Passengers
In Year 2030




Division



Supersonic Worldport

FROM REFERENCES TO SUPERSONIC



INNOVATIONS













PROGRAM DESIGN BRIEF

HYDROGEN FUEL






CO2 NEUTRAL FUEL - HYDROGEN



ON SITE ELECTROLYSIS AND LIQUEFACTION













CO2 NEUTRAL FUEL - HYDROGEN






AIRPLANES







AIRPLANES



BOEING & SUPERSONIC COMPARISON






boeing 777-300er

supersonic airplane

CONCEPT

AIRPLANES




supersonic airplane

- ground power unit
- 2 laviatory truck

AIRPLANES





AIRPLANES





3.000m - 4.000m


E-GATE






E-GATE





E-GATE






Per Gate

BAGGAGE







BAGGAGE CHECK IN












BAGGAGE DROP OFF





BAGGAGE






AUTOMATED BAGGAGE HANDLING









SECURITY & CHECK-IN





SECURITY & CHECK-IN





9m2 per box ca. 3.000

ca. 9.000

Traditional 11:20 minutes

ca. 3.000

Micro-X 1:00 minute

RESERVE & COLLECT





RESERVE & COLLECT



RETAIL IS ON AVERAGE 30,2% OF AIRPORTS INCOME



TRADITIONAL PASSANGER JOURNEY



Arrival At Airport



Check - In & Luggage drop off



Security



Dwell Time



11:20

16:15

95:00

Time in minutes



Boarding



Departure



Arrival



Luggage Claim


14:45

Berlin - New York = 540:00

21:00

Time in minutes

SUPERSONIC PASSENGER JOURNEY



SUPERSONIC PASSENGER JOURNEY

158min 20sec 2hr 38min

Traditional Waiting Time

698min 20sec 11hr 38min

Traditional Travel Time

55min 30sec Ohr 56min


Supersonic Waiting Time

200min 30sec 3hr 21min


Supersonic Travel Time 497min 50sec 8hr 17min

Time Saved
By Supersonic


SUPERSONIC PROGRAM




SUPERSONIC PROGRAM



Departures 92.777m2 55%




Arrivals 25.593m2 15,2%



Innovation 40.000m2 29,8%


10.000M2 11,9 8.850M2 5,3%
21.150M2 12,6%


LANDSIDE - TERMINAL - AIRSIDE




WHERE TO FIT A PROGRAM OF 3.260.000M2?

SITE RESEARCH **ENERGY**


























Retrofit: Build on existing potentials

Build on geothermal energy potentials


Build with the aim to provide energy-efficient mobility


Minimal additions to infrastructure


SITE RESEARCH AREA




SITE RESEARCH BUILDING




















Connection to air and landside



No negative effect on airplane motions



Position with possibilty to expand



Existing buildings need to function during construction

REQUIREMENTS

Energy



Accessible By Mobile Vehicles

Area



Enough Space For Now And Future

Building



Connection To Air And Landside



Retrofit - On Bare Land



Not On Nature Rich Area



No Negative Effect On Airplanes Motions



On Geothermal Potential



Low Density Area



Position With Possibility To Expand



Minimal Additions To Infrastructure



Safe Noise Distance



Existing Buildings Need To Function During Construction

SITE OPTIONS



SITE M-SIZE REQUIREMENTS

Energy



Accessible By Mobile Vehicles

Area



Enough Space For Now And Future Connection To Air And Landside





Retrofit - On Bare Land



Not On Nature Rich Area





On Geothermal Potential



Low Density Area





Minimal Additions To Infrastructure



Safe Noise Distance




SITE

M-SIZE



SITE M SIZE

ACCESSIBILITY




SITE M SIZE

RETROFIT ON BARE LAND




SITE M SIZE


MINIMAL ADDITIONS TO INFRASTRUCTURE




ENOUGH SPACE FOR NOW AND FUTURE



NOT ON NATURE



NOT ON NATURE



SITE RESEARCH

NEEDED ELEMENTS



118.370m2



Innovation Centre

40.000m2



Geothermal Energy

82.000m2



Hydrogen Fuel

130.000m2

AREA FOR THE INNOVATION CENTRE



potential area for positioning the Innovation Centre

AREA FOR ENERGY PRODUCTION



AREA FOR SUPERSONIC WORLDPORT



potential area for positioning Supersonic Worldport

S-SIZE REQUIREMENTS

Energy



Accessible By Mobile Vehicles





Enough Space For Now And Future

Building



Connection To Air And Landside



Retrofit - On Bare Land



Not On Nature Rich Area



No Negative Effect On Airplanes Motions



On Geothermal Potential



Low Density Area



Position With Possibility To Expand



Minimal Additions To Infrastructure




Safe Noise Distance



Existing Buildings Need To Function During Construction

SITE

S-SIZE





ACCESSIBILITY




RETROFIT ON BARE LAND





CONNECTION TO AIR AND LAND SIDE






NO NEGATIVE EFFECT ON AIRPLANES MOTIONS







POSITION WITH POSSIBILITY TO EXPAND






possible future runway

direction of expansion



EXISTING BUILDINGS DURING CONSTRUCTION







Terminal Building

118.370m2





Innovation Centre

50.000m2






Geothermal Energy

82.000m2 3km2 wells






130.000m2



SITE XS SIZE DESIGN BRIEF

2030 - ROUTES








SITE DESIGN BRIEF

CONNECTION EXISTING & NEW





OVERVIEW PROJECT AMBITION



Sustainable Development



Innovation Growth



Connecting The World

Berlin Studio



Efficiency

OVERVIEW

OVERVIEW CLIENT

50%














OVERVIEW


OVERVIEW PROGRAM




→ EMPLOEES → PASSENGERS

01 INTRODUCTION 02 RESEARCH & DESIGN BRIEF 03 CONCEPT 04 IMPLEMENTATION 05 DEVELOPMENT 06 CONCLUSION


OPTIONS




CHOICES




CLIENT - FUTURE RESISTANT




PROGRAM - EFFICIENCY




SITE - DRIVE THROUGH







CONCEPT **PROGRAM**



CONCEPT **ROUTING**




MASSING




01 INTRODUCTION 02 RESEARCH & DESIGN BRIEF 04 CONCEPT 05 IMPLEMENTATION 06 DEVELOPMENT 07 CONCLUSION


IMPLEMENTATION

MASTERPLAN





MASTERPLAN & ENERGY




















SITE PLAN





SITE PLAN

























FLOOR PLAN








2














Section departures gate 1





Section baggage handling gate 1





Section arrivals gate 1


























PART B DEPARTURES escalator to shops & waiting


PART B DEPARTURES




PART B DEPARTURES









PART B DEPARTURES gate








PART B DEPARTURES escalator to the airplane




SECTIONS PART C









SECTIONS PART C







baggage handling

SECTIONS PART C









arrivals


KEY SPACE




FLOOR PLAN D



FLOOR PLAN D




FLOOR PLAN D












































01 INTRODUCTION 02 RESEARCH & DESIGN BRIEF 03 CONCEPT 04 IMPLEMENTATION **05 DEVELOPMENT** 06 CONCLUSION


















CLIMATE



MATERIAL REQUIREMENTS



Sustainable



Representative



Low maintenance




Functional

CHOSEN MATERIALS



Anodized aluminium



Transparant wood




Terrazzo


MATERIALS APPLIED




DETAILS




DETAILS



FRAGMENT



DETAILS



01 INTRODUCTION 02 RESEARCH & DESIGN BRIEF 03 CONCEPT 04 IMPLEMENTATION 05 DEVELOPMENT 06 CONCLUSION

CONCLUSION RESEARCH QUESTION

HOW TO DESIGN AN AIRPORT TO ACCOMODATE RECONFIGURATED EUROPEAN AVIATION INDUSTRY?

CONCLUSION

BASE THE DESIGN ON THE PRINCIPLES

CONCLUSION







Sustainable Development

CONCLUSION

IMPLEMENTATION OF PRINCIPLES













